

PicoFinish® electric fine screwdriver Slotted 2.0 mm x 50 mm (42375)



Wiha Werkzeuge GmbH
Obertalstraße 3-7
78136 Schonach
E-Mail: info.de@wiha.com
Tel.: +49 (0)7722 959-0

Order no.: 42375

Article number: 42375

EAN: 4010995423759

Customs tariff number: 82054000

Makes handling easier: Extra-long rotating cap ensures optimum feed.

Increases your efficiency: Screwdriver handle size concept for optimal balance between precision and control.

Offers you full protection: Each tool individually tested at 10,000 V AC and approved for 1,000 V AC.

Increases your efficiency: Careful workmanship and controlled power transmission thanks to the slim handle with soft grip.

Product dimensions: 152 x 17 x 17 mm (LxWxD)

Application: Ideal for delicate and high-precision fastening tasks for electrical installations and live parts.

Material: Chrome-vanadium-molybdenum steel, black finish, insulated

The challenge in precision screw fastenings is to work meticulously and carefully without damaging the work piece. Thanks to their long, slim handles and quick-turning zone, Wiha PicoFinish® fine screwdrivers are ideal for delicate and high-precision tasks in the electrical sector as well as for hobbyists and model building. Its ergonomic handle design with a soft zone makes it comfortable to use. The smooth-running rotating cap allows users to turn the screwdriver quickly and sensitively. The printed screwdriver symbols on the rotating cap make it easier to select the right screwdriver profile. These insulated fine screwdrivers undergo routine individual piece testing as per the international IEC 60900 standard, thus providing users with a tool to work safely on live parts up to 1,000 V AC.

Customs tariff number	82054000
-----------------------	----------

Slotted 1 (mm)	2.0 mm
----------------	--------

Self service - packing	No
------------------------	----

Cutting strength 1 (mm)	0,40 mm
-------------------------	---------

Handle diameter (mm)	18 mm
----------------------	-------

Round blade diameter (mm)	2 mm
---------------------------	------

Visible blade length (mm) 50 mm

Overall length (mm) 152 mm

Tool for electricians Yes

Country of origin (ISO 3166-1 Alpha 3) DEU
